# VOLUME CONTENTS

## Number 1


| | | |
|---|---|---|
| *S. Sutulo, L. Moreira and C. Guedes Soares* | 1 | Mathematical models for ship path prediction in manoeuvring simulation systems |
| *K. Nadaoka and K. Raveenthiran* | 21 | A phase-averaged Boussinesq model with effective description of carrier wave group and associated long wave evolution |
| *H. S. Lee and A. N. Williams* | 39 | Boundary element modeling of multidirectional random waves in a harbor with partially reflecting boundaries |
| *P. Hull and G. Müller* | 59 | An investigation of breaker heights, shapes and pressures |
| *P. C. Liu, D. J. Schwab and R. E. Jensen* | 81 | Has wind–wave modeling reached its limit? |
| *V. S. Tikhonov and A. I. Safronov* | 99 | Effect of fluid column dynamics on longitudinal vibrations of an ultra deepwater riser covered by an orifice plug |
| | I | Calendar |


## Number 2


| | | |
|---|---|---|
| *G. Rajasekaran and S. Narasimha Rao* | 113 | Permeability characteristics of lime treated marine clay |
| *A. C. Takinaci and M. Atlar* | 129 | Performance assessment of a concept propulsor: the thrust-balanced propeller |
| *S. Neelamani and R. Rajendran* | 151 | Wave interaction with T-type breakwaters |
| | | *Technical Notes* |
| *K. S. Youssef, S. A. Ragab, A. H. Nayfeh and D. T. Mook* | 177 | Design of passive anti-roll tanks for roll stabilization in the nonlinear range |
| *V. Sundar and B. V. V. Subba rao* | 193 | Hydrodynamic pressures and forces on quadrant front face pile supported breakwater |

| | | |
|---|---|---|
| *S. Neelamani and M. Vedagiri* | 215 | Wave interaction with partially immersed twin vertical barriers |
| | I | Calendar |


## Number 3


| | | |
|---|---|---|
| *A. M. Mansour, A. N. Williams and K. H. Wang* | 239 | The diffraction of linear waves by a uniform vertical cylinder with cosine-type radial perturbations |
| *J. D'Elia, M. A. Storti and S. R. Idelsohn* | 261 | Applied hydrodynamic wave-resistance computation by Fourier transform |
| *S. Chandrasekaran and A. K. Jain* | 279 | Dynamic behaviour of square and triangular offshore tension leg platforms under regular wave loads |
| *K. Benedict, N. Kornev, M. Meyer and J. Ebert* | 315 | Complex mathematical model of the WIG motion including the take-off mode |
| | I | Calendar |


## Number 4


| | | |
|---|---|---|
| *F. Arena* | 359 | Statistics of wave forces on large horizontal cylinders |
| *H. Hu, K.-H. Wang and A. N. Williams* | 373 | Wave motion over a breakwater system of a horizontal plate and a vertical porous wall |
| *S. F. Smith and C. Swan* | 387 | Extreme two-dimensional water waves: an assessment of potential design solutions |
| *K. Jyothi, J. S. Mani and M. R. Pranesh* | 417 | Numerical modelling of flow around coastal structures and scour prediction |
| *J. B. V. Wanderley and C. A. Levi* | 445 | Validation of a finite difference method for the simulation of vortex-induced vibrations on a circular cylinder |

| | | |
|---|---|---|
| | | *Technical Note* |
| *Y. Shen, Y. Zheng, T. Komatsu and N. Kohashi* | 461 | A three-dimensional numerical model of hydrodynamics and water quality in Hakata Bay |
| | I | Calendar |


## Number 5


| | | |
|---|---|---|
| *S. Y. Boo* | 475 | Linear and nonlinear irregular waves and forces in a numerical wave tank |
| *W. Huang and M. Spaulding* | 495 | Reducing horizontal diffusion errors in σ-coordinate coastal ocean models with a second-order Lagrangian-interpolation finite-difference scheme |
| *J. J. O'Kane, A. W. Troesch and K. P. Thiagarajan* | 513 | Hull component interaction and scaling for TLP hydrodynamic coefficients |
| *C. Madhu Sudhan, V. Sundar and S. Narasimha Rao* | 533 | Wave induced forces around buried pipelines |
| *G. Rajasekaran and S. Narasimha Rao* | 545 | Compressibility behaviour of lime-treated marine clay |
| | | *Technical Note* |
| *S. Neelamani and R. Rajendran* | 561 | Wave interaction with '⊥'-type breakwaters |
| | I | Calendar |


## Number 6


| | | |
|---|---|---|
| | | *Obituary* |
| *P. A. A. Laura* | 591 | August J. Durelli: 1910–2000 |
| *R. Ma and G. Li* | 593 | Spectral analysis of Stokes waves |

| | | |
|---|---|---|
| *D. V. Bambill and C. A. Rossit* | 605 | Forced vibrations of a beam elastically restrained against rotation and carrying a spring–mass system |
| *Y. T. Chai, K. S. Varyani and N. D. P. Barltrop* | 627 | Semi-analytical quasi-static formulation for three-dimensional partially grounded mooring system problems |
| *M. R. Haddara and M. Wishahy* | 651 | An investigation of roll characteristics of two full scale ships at sea |
| *T. A. Santos, I. E. Winkle and C. Guedes Soares* | 667 | Time domain modelling of the transient asymmetric flooding of Ro-Ro ships |
| *J.-S. Wu and M. Hsieh* | 689 | Study on the dynamic characteristic of a U-type tuned liquid damper |
| | | *Technical Note* |
| *T. L. Walton Jr* | 711 | Even–odd analysis on a complex shoreline |
| | I | Calendar |


## Number 7


| | | |
|---|---|---|
| | | *Invited Paper* |
| *H. Söding* | 721 | Flow computations for ship safety problems |
| *E. Amromin, S. Kovinskaya and V. Sofronov* | 739 | Non-local impact of large-scale engineering in harbors and gulfs on the environment |
| *S. Cokgor* | 753 | Hydrodynamic forces on a partly buried cylinder exposed to combined waves and current |
| *A. K. Tanrikulu, M. S. Kırkgöz and C. Dündar* | 769 | Theoretical and experimental investigation of a vertical wall response to wave impact |
| *B.-F. Chen and C.-F. Huang* | 783 | Hydrodynamic forces on concrete sea wall and breakwater during earthquakes: effects of bottom sediment layers and back-fill soil |
| *B. Teng and S. Kato* | 815 | Third order wave force on axisymmetric bodies |

| | | |
|---|---|---|
| | | *Letter to the Editor* |
| *D. S. Jeng and C. P. Tsai* | 845 | Comments on "Standing wave pressures on walls" by V. Prabhakar and V. Sundar |
| | I | Calendar |


## Number 8


| | | |
|---|---|---|
| *J. I. R. Blake, R. A. Shenoi, J. House and T. Turton* | 849 | Strength modelling in stiffened FRP structures with viscoelastic inserts for ocean structures |
| *D. J. Wang, M. Katory and Y. S. Li* | 871 | Analytical and experimental investigation on the hydrodynamic performance of onshore wave-power devices |
| *C.-C. Liang, M.-F. Yang and Y.-S. Tai* | 887 | Prediction of shock response for a quadrupod-mast using response spectrum analysis method |
| *J.-Y. Liu, C.-F. Huang and P.-C. Hsueh* | 915 | Acoustic plane-wave scattering from a rough surface over a random fluid medium |
| *J.-F. Lee and Y.-J. Lan* | 931 | On waves propagating over poro-elastic seabed |
| *S.-H. Ou, J.-M. Liau, T.-W. Hsu and S.-Y. Tzang* | 947 | Simulating typhoon waves by SWAN wave model in coastal waters of Taiwan |
| *D. Sen* | 973 | Time-domain computation of large amplitude 3D ship motions with forward speed |
| | I | Calendar |


## Number 9


| | | |
|---|---|---|
| | | *Technical Note* |
| *T. L. Lee and D. S. Jeng* | 1003 | Application of artificial neural networks in tide-forecasting |
| *P. Stansell, J. Wolfram and B. Linfoot* | 1023 | Effect of sampling rate on wave height statistics |
| *C.-P. Lee and W.-K. Ker* | 1049 | Coupling of linear waves and a hybrid porous TLP |

| | | |
|---|---|---|
| *S. Chucheepsakul and N. Srinil* | 1067 | Free vibrations of three-dimensional extensible marine cables with specified top tension via a variational method |
| *J. C. Daidola and R. Latorre* | 1097 | The effect on resistance of displacement hull forms due to fore-to-aft pressure re-distribution |
| *H. Akyildiz* | 1119 | Experimental investigation of pressure distribution on a cylinder due to the wave diffraction in a finite water depth |
| *D. Myrhaug and O.H. Slaattelid* | 1133 | Effects of sea roughness and atmospheric stability on wind wave growth |
| | I | Calendar |


## Number 10


| | | |
|---|---|---|
| *H. H. Chun and C. H. Chang* | 1145 | Longitudinal stability and dynamic motions of a small passenger WIG craft |
| *A. F. de O. Falcão* | 1163 | Wave-power absorption by a periodic linear array of oscillating water columns |
| *A. Zubaydi, M. R. Haddara and A. S. J. Swamidas* | 1187 | Damage identification in a ship's structure using neural networks |
| *S. A. Vera, M. Febbo, C. A. Rossit and A. E. Dolinko* | 1201 | Transverse vibrations of circular annular plates with edges elastically restrained against rotation, used in acoustic underwater transducers |
| *O. Antón, R. Hidalgo, R. Rivera and F. G. Tomasel* | 1209 | Simple swept-sine analyzer for excitation and measurement of dynamic response in ocean structures |
| *N. Mori and T. Yasuda* | 1219 | A weakly non-gaussian model of wave height distribution for random wave train |
| *N. Mori and T. Yasuda* | 1233 | Effects of high-order nonlinear interactions on unidirectional wave trains |

*Technical Notes*

*S. Neelamani, N. Uday Bhaskar and K. Vijayalakshmi* 1247 Wave forces on a seawater intake caisson

*C. Lin, D. S. Jeng and C. N. Jeng* 1265 An experimental study on the flow characteristics of a standing wave: application of FLDV measurements

*K. I. Matveev* 1283 Tone generation on a hydrofoil of a high-speed ship

I Calendar

## Number 11

*S.-W. Twu, C.-C. Liu and C.-W. Twu* 1295 Wave damping characteristics of vertically stratified porous structures under oblique wave action

*H.-I. Park and D.-H. Jung* 1313 A finite element method for dynamic analysis of long slender marine structures under combined parametric and forcing excitations

*C.-Y. Lin* 1327 Reduction of particulate matter and gaseous emission from marine diesel engines using a catalyzed particulate filter

*U. A. Korde* 1343 Latching control of deep water wave energy devices using an active reference

*W. E. Rogers, J. M. Kaihatu, H. A. H. Petit, N. Booij and L. H. Holthuijsen* 1357 Diffusion reduction in an arbitrary scale third generation wind wave model

*D. B. S. Lopes and A. J. N. A. Sarmento* 1391 Hydrodynamic coefficients of a submerged pulsating sphere in finite depth

*Technical Notes*

*N. Mori, P. C. Liu and T. Yasuda* 1399 Analysis of freak wave measurements in the Sea of Japan

*P. C. Li and N. Hawley* 1415 Wave grouping characteristics in nearshore Great Lakes II

*M. Lebey and E. Rivoalen* 1427 Experimental study of the working principal and efficiency of a superposed inclined planes wave absorber

| | | |
|---|---|---|
| *J. P.-Y. Maa, T.-W. Hsu and D.-Y. Lee* | 1441 | The RIDE model: an enhanced computer program for wave transformation |
| | 1459 | Book review |
| | I | Calendar |


## Number 12


| | | |
|---|---|---|
| *A. Brito-Melo, L. M. C. Gato and A. J. N. A. Sarmento* | 1463 | Analysis of Wells turbine design parameters by numerical simulation of the OWC performance |
| *C. Lin and H.-H. Hwung* | 1479 | Observation and measurement of the bottom boundary layer flow in the prebreaking zone of shoaling waves |
| *Y. T. Chai, K. S. Varyani and N. D. P. Barltrop* | 1503 | Three-dimensional Lump-Mass formulation of a catenary riser with bending, torsion and irregular seabed interaction effect |
| *M. S. Celebi and H. Akyildiz* | 1527 | Nonlinear modeling of liquid sloshing in a moving rectangular tank |
| *W. Qiu and C. C. Hsiung* | 1555 | A panel-free method for time-domain analysis of the radiation problem |
| | | *Technical Notes* |
| *G. Bellotti and M. Brocchini* | 1569 | On using Boussinesq-type equations near the shoreline: a note of caution |
| *T. L. Lee, C. P. Tsai and D. S. Jeng* | 1577 | Ocean waves propagating over a porous seabed of finite thickness |
| | I | Calender |


## Number 13


| | | |
|---|---|---|
| *M. J. Cassidy, P. H. Taylor, R. Eatock Taylor and G. T. Houlsby* | 1603 | Evaluation of long-term extreme response statistics of jack-up platforms |
| *R. E. Baddour and W. Raman-Nair* | 1633 | Marine tether dynamics: retrieval and deployment from a heaving platform |

| | | |
|---|---|---|
| *M. Taylan* | 1663 | Overall stability performance of alternative hull forms |
| | | *Technical Notes* |
| *C.-P. Tsai, C. Lin and J.-N Shen* | 1683 | Neural network for wave forecasting among multi- stations |
| *J.-Y. Liu, C.-O. Shen and H.-H. Chen* | 1697 | Coherent reflection of an acoustic plane wave from a random sediment layer over an elastic sea floor |
| *D. S. Jeng* | 1711 | Wave kinematics of partial reflection from a vertical wall |
| *M. Gürgöze* | 1725 | Comments on a Technical Note by C.A. Rossit and P.A.A. Laura |
| *C. A. Rossit and P. A. A. Laura* | 1731 | Reply to comments by M. Gürgöze |
| | I | Calendar |


## Number 14


| | | |
|---|---|---|
| *P. Hu, G. X. Wu and Q. W. Ma* | 1733 | Numerical simulation of nonlinear wave radiation by a moving vertical cylinder |
| *A. Albar, R. E. Randall, B. Dwibarto and B. L. Edge* | 1751 | A bucket wheel dredge system for offshore tin mining beyond the 50 m water depth |
| *M. Drago* | 1769 | A coupled debris flow–turbidity current model |
| *W. K. Lee and E. Y. M. Lo* | 1781 | Surface-penetrating flexible membrane wave barriers of finite draft |
| *G. Benassai and A. Campanile* | 1805 | A prediction technique for the transverse vortex-induced oscillations of tensioned risers |
| | | *Technical Notes* |
| *D. T. Cox and J. A. Ortega* | 1827 | Laboratory observations of green water overtopping a fixed deck |
| *K. D. H. Bob-Manuel* | 1841 | Probabilistic prediction of capsize applied to small high-speed craft |

| | | |
|---|---|---|
| *S. Y. Liou, D. T. Su and D. W. Chen* | 1853 | The analysis of tandem hull vessel motion in waves |
| | I | Calendar |


## Number 15


| | | |
|---|---|---|
| *H.-H. Chen* | 1871 | Variation reduction in quality of an optical triangulation system employed for underwater range finding |
| *S. Chandrasekaran and A. K. Jain* | 1895 | Triangular Configuration Tension Leg Platform behaviour under random sea wave loads |
| *J. Al-Humoud, M. A. Tayfun and H. Askar* | 1929 | Distribution of nonlinear wave crests |
| | | *Technical Notes* |
| *S. H. Kwon, J. W. Cho, J. S. Park and H. S. Choi* | 1945 | The effects of drag reduction by ribbons attached to cylindrical pipes |
| *C. H. Jo, K. S. Kim and S. H. Lee* | 1959 | Parametric study on offshore jacket launching |
| *G. Dhinakaran, V. Sundar, R. Sundaravadivelu and K. U. Graw* | 1981 | Dynamic pressures and forces exerted on impermeable and seaside perforated semi-circular breakwaters due to regular waves |
| | I | Contents and Author index, volume 29 |
| | XVI | Calendar |